


# TYLÖ®



S A U N A S

S H O W E R S

S T E A M B A T H S



**THERMOMETERS  
& HYGROMETERS**



**HOURGLASSES**

## Sauna accessories.

Little details can make a big difference.

A few well chosen products from the Tylö range of accessories will soon give your sauna room a distinctive character all of its own. You can choose everything from classic, rustic sauna style to the very latest in design – three comprehensive series unique to Tylö, all with the same contemporary look. There is an all-aluminium version, and versions with decorative wooden detailing in alder or aspen – two finishes that are the perfect match for our prefabricated sauna rooms. An insignificant detail, you may say. But, on the other hand, attention to details like this is the hallmark of Tylö thinking.

Our range for public bathing facilities includes a unique solution for water sprinkling, a highly sophisticated fragrance dispenser and a new series of essential accessories in carefully selected materials.

Our previous accessory range, expanded and amended over the years, has been replaced by a carefully composed selection of brand new accessories, each of the very highest quality.



**HYGROMETERS**





TOWEL RACK



LADLE



BUCKET

LIQUID THERMOMETER



## Classic accessories

Wooden bucket and ladle in a classic design. The bucket has a practical plastic insert that holds 4 litres. Hemp handle and loop.

### Ladle Classic

(Art. 9012 1025)

### Bucket Classic

(Art. 9004 1010)



## Collage SC

An all-in-one instrument combining thermometer, hygrometer and hourglass on a beautifully finished American alder plaque.

### Collage SC

(Art. 9007 1012)



## Basic accessories

### Hygro/Thermo Basic

(Art. no. 9005 2510)

### Thermometer Basic

(Art. 9015 2520)

### Hygrometer Basic

(Art. no. 9015 2530)

### Hourglass Basic

(Art. no. 9015 2540)

### Ladle 400 mm Basic

(Art. no. 9015 2550)

### Bucket 4 litre Basic

(Art. no. 9015 2560)

### Bucket 6 litre/ Ladle Basic

(Art. no. 9015 2570)



## Aspen accessories

A brand new series in aluminium with decorative wooden detailing in blonde aspen.

### Towel rack Aspen

(Art. 9015 2070)

### Ladle Aspen

(Art. 9015 2010)

### Bucket Aspen

(Art. 9015 2000)

### Hourglass Aspen

(Art. 9015 2050)

### Liquid thermometer Aspen

(Art. 9015 2060)

### Thermometer Aspen

(Art. 9015 2020)

### Hygrometer Aspen

(Art. 9015 2030)

### Thermometer/Hygrometer Aspen

(Art. 9015 2040)



## Alder accessories

A complete new series in aluminium with decorative wooden detailing in alder.

### Towel rack Alder

(Art. 9015 2170)

### Ladle Alder

(Art. 9015 2110)

### Bucket Alder

(Art. 9015 2100)

### Hourglass Alder

(Art. 9015 2150)

### Liquid thermometer Alder

(Art. 9015 2160)

### Thermometer Alder

(Art. 9015 2120)

### Hygrometer Alder

(Art. 9015 2130)

### Thermometer/Hygrometer Alder

(Art. 9015 2140)



## Aluminium accessories

A complete series of all-aluminium accessories in an elegant contemporary design.

### Towel rack Aluminium

(Art. 9015 2270)

### Ladle Aluminium

(Art. 9015 2210)

### Bucket Aluminium

(Art. 9015 2200)

### Hourglass Aluminium

(Art. 9015 2250)

### Liquid thermometer Aluminium

(Art. 9015 2260)

### Thermometer Aluminium

(Art. 9015 2220)

### Hygrometer Aluminium

(Art. 9015 2230)

### Thermometer/Hygrometer Aluminium

(Art. 9015 2240)



## Accessories for public bathing facilities

### Bucket Pro (Art. 9004 1005)

Stainless steel. Capacity: 8 litres.

### Ladle Pro (Art. 9012 1020)

Stainless steel with a wooden handle.

### Hygrometer/Thermometer Pro

(Art. 9070 1030)

Thermometer and hygrometer in stainless steel with fitting to fasten securely to the sauna wall.



## Other sauna accessories.



### Heater guards

#### Heater guard 6–8V

(Art. 9000 1002)

Wall-mounted construction for heaters 6.6–8 kW.

#### Heater guard 10–20V

(Art. 9000 1012)

As above, for heaters 10.7–20 kW.

#### Heater guard 6–8H

(Art. 9000 1003)

Corner-mounted construction for heaters 6.6–8 kW.

#### Heater guard 10–20H

(Art. 9000 1013)

As above, for heaters 10.7–20 kW.



### Custom-designed interiors

This picture gives a glimpse of how Tylö can produce interior fittings to meet your exact requirements. Please contact Tylö for consultation and a free estimate.



### Sauna stones

#### Sauna stones (Art. 9014 1000)

Natural stones of igneous dolerite rock (black diabase) that withstand rapid heating and cooling. One carton (approx. 14 kg) is sufficient for heaters with outputs of 6.6–8 kW. Heaters with outputs of 10.7–20 kW require two cartons.

#### Mini sauna stones (Art. 9014 1005)

As above, but with stones of a suitable size for the smaller Compact and Combi Compact heaters. One carton (approx. 7 kg) per heater.

#### Olivine stones (Art. 9014 1040)

Recommended only for public facilities and with frequent water sprinkling. Not suitable for Compact and Combi Compact. Low density means quicker heating-up time. One carton: 25 kg.

## Lighting

High-quality light fittings with glass shade and ceramic base in a splashproof design.



**Opus 100 H100** (Art. 9001 1090)  
Sauna lamp. Wall-mounted. Grey lamp-holder G9, 25 W, 230 V, IP57, matt opalescent glass. Ø 100 mm, Height 100 mm.



**Opus 100 H125** (Art. 9001 1091)  
Sauna lamp. For wall/ceiling. Grey lamp-holder G9, 25 W, 230 V, IP57, matt opalescent glass. Ø 100 mm, Height 125 mm.



**Opus 100 H175** (Art. 9001 1092)  
Sauna lamp. For wall/ceiling. Grey lamp-holder E27, 40 W ceiling/60 W wall, 230 V, IP57, matt opalescent glass. Ø 100 mm, Height 175 mm.



**Opus 100 H175** (Art. 9001 1093)  
Sauna lamp. For wall/ceiling. Grey lamp-holder E27, 40 W ceiling/60 W wall, 230 V, IP57, clear glass. Ø 100 mm, Height 175 mm.



**Opus 200 H135** (Art. 9001 1094)  
Sauna lamp. For wall/ceiling. Grey lamp-holder E27, 40 W ceiling/60 W wall, 230 V, IP57, matt opalescent glass. Ø 200 mm, Height 135 mm.



**Light On Halogen** (Art. 9001 1003)  
Sauna lamp. For wall/ceiling. Grey GU10, 35 W, 230 V, IP44. Ø 100 mm, Height 115 mm.



**Sauna lamp 40 W** (Art. 9001 1000)  
Wall-mounted. White lamp-holder E14. IP 24. Max 40 W. Ø 90 mm, Height 170 mm.



**Sauna lamp 60 W** (Art. 9001 1004)  
As above, max 60 W. Ø 205 mm, Height 105 mm. IP 24.



## Lighting strips

May be cut to size and installed behind the backrest to cast a pleasant, subdued light in the sauna. 12 V. Connect to our 12 V transformer.. IP 24.

**Lighting strip 38** (Art. 9001 1190)  
Length 38 cm. 12 W.

**Lighting strip 50** (Art. 9001 1192)  
Length 50 cm. 15 W.

**Lighting strip 90** (Art. 9001 1194)  
Length 90 cm. 27 W.

**Lighting strip 190** (Art. 9001 1196)  
Length 190 cm. 57 W.



**Lampshade Aspen-V** (Art. 9009 1010)  
Decorative, aspenwood shade that spreads a gentle, subdued light in the sauna. For wall mounting. Suitable for use with our 40 W sauna lamp. 50 x 28 x 15 cm.

**Lampshade Aspen-H**  
(Art. 9009 1011)

As above, but for corner lamps. 50 x 34 x 8 cm.



**Lampshade Alder-V SR**  
(Art. 9009 1015)

Exclusive design with narrow slats of American alder. For wall mounting. Suitable for use with our 38 cm lighting strip. 54 x 24 x 6 cm.

**Lampshade Alder-H SR**  
(Art. 9009 1016)

As above, but for corner lamps. 54 x 22 x 4 cm.

**Lampshade Aspen-V SR**  
(Art. 9009 1017)

**Lampshade Aspen-H SR**  
(Art. 9009 1018)

**Lampshade Beech-H-SR**

(Art. no. 9009 1014)

**Lampshade Beech-V SR**  
(Art. no. 9009 1013)



**Lampshade 40/60** (Art. 9009 1002)  
Wall-mounted pine shade for use with 40 W and 60 W sauna lamps. 25 x 25 x 14 cm.



### Lampshade Asp-GL

(Art. 9009 1003)

Elegant design in specially selected aspen for corner lamps. Suitable for use with our 40 W sauna lamp. 50 x 36 x 4 cm.



### Optical fibre lighting

Halogen lighting for atmospheric lighting in all sorts of settings. The lighting source is in a projector placed outside the sauna room. The length of the optical fibres determines the maximum distance between the projector and the light points.

#### Fiber Light Standard (Art. 9001 1100)

42 W with 6 light points (2 x 2 m, 2 x 2.5 m and 2 x 3 m).

#### Fiber Light Public (Art. 9001 1120)

42 W with gilded fittings and 8 light points (2 x 2.5 m, 3 x 3 m and 3 x 3.5 m).

#### Fiber Light Colour S (Art. 9001 1125)

75 W with 9 light points (1 x 0.5 m, 2 x 1 m, 3 x 1.6 m, 2 x 1.9 m, 1 x 2.3 m) and a rotating disc for fixed or changing colours.

#### Fiber Light Colour (Art. 9001 1130)

75 W, as above but with 9 light points on 2.5 metre cables for large rooms.

#### Transformer 12 V/210 W

(Art. 9090 1015)

200–240 V~/12 V max. 210 W. For use with up to 7 metres of lighting strips or 42 x 5 W bulbs (downlight).

#### Transformer 12 V/60 W

(Art. 9090 1020)

As above, but for max. 60 W. Length 190 cm. 57 W.



#### Downlight (Art. no. 9001 1081)

Effective spotlighting for recessed installation in, for example, a soffit outside the sauna. (Not suitable for use inside the sauna.) 12 V/5 W. Connect to our 12 V transformer. Installation size: dia. 60 mm. IP 21




#### Downlight (Art. no. 9001 1083)

Effective spotlighting for recessed installation in, for example, a soffit outside the sauna. (Not suitable for use inside the sauna.) 12 V/10 W. Connect to our 12 V transformer. Installation size: dia. 57 mm. IP 21.



#### Downlight (Art. no. 9001 1085)

Effective spotlighting for recessed installation in, for example, a soffit outside the sauna. (Not suitable for use inside the sauna.) 12 V. Connect to our 12 V transformer. Installation size: dia. 74 mm. IP 21.



#### Downlight (Art. no. 9001 1087)

Effective spotlighting for recessed installation in, for example, a soffit outside the sauna. (Not suitable for use inside the sauna.) 12 V. Connect to our 12 V transformer. Installation size: dia. 78 mm. IP 44.

## Fragrant essences



### Essential oils

Produced from natural ingredients especially for use with Tylö Fresh fragrance dispenser in saunas and steam rooms. Supplied as a concentrate in 25 cl plastic bottles.

Fragrances:

**Eucalyptus 25** (Art. 9002 2030)

**Peppermint 25** (Art. 9002 2031)

**Pine 25** (Art. 9002 2032)

**Lavender 25** (Art. 9002 2033)

**Cinnamon 25** (Art. 9002 2034)

**Citrus 25** (Art. 9002 2036)



### Tylö sauna fragrance

A pure natural product. A drop or two in a ladle of water will release an invigorating scent when sprinkled over the sauna stones.

Fragrances:

**Sauna fragrance 10 ml Eucalyptus**  
(Art. 9002 1000)

**Sauna fragrance 50 ml Eucalyptus**  
(Art. 9002 2000)

**Sauna fragrance 10 ml Peppermint**  
(Art. 9002 1010)

**Sauna fragrance 10 ml Lavender**  
(Art. 9002 1012)

**Sauna fragrance 10 ml Cinnamon**  
(Art. 9002 1014)



### Concentrated fragrances

To be diluted with water. For use with earlier models of Tylö fragrance dispensers – Sauna Fresh and Steam Fresh. Plastic bottles containing 250 ml of concentrate. Also available in packs of 24 and in 5-litre containers.

Fragrances:

**Eucalyptus 250** (Art. 9002 0000)

**Eucalyptus 250/24-pk** (Art. 9002 0005)

**Eucalyptus 5 litres** (Art. 9002 2007)

**Lemon 250** (Art. 9002 0010)

**Lemon 250/24-pk** (Art. 9002 0015)

**Lemon 5 litres** (Art. 9002 2012)

**Pine 250** (Art. 9002 0020)

**Pine 250/24-pk** (Art. 9002 0025)

**Pine 5 litres** (Art. 9002 2017)

**Peppermint 250** (Art. 9002 0030)

**Peppermint 250/24-pk**  
(Art. 9002 0035)

**Peppermint 5 litres** (Art. 9002 2022)

**Menthol 250** (Art. 9002 0040)

**Menthol 250/24-pk** (Art. 9002 0045)

**Menthol 5 litres** (Art. 9002 2027)



### Cleansing kit (Art. no. 9090 3020)

Removes calcium deposits on shower glass and glazed tiles. Always use the titanium wool ball with liberal amounts of water. Impregnating liquid to protect shower glass and glazed tiles against a build-up of lime deposits.

### Tylö Impregnator (Art. no. 9090 3030)

Preserves and protects shower glass and glazed tiles. Spray on and rinse off with clean water.



## Fragrance dispensers

### Tylö Fresh (Art. 9090 8005)

Fragrance dispenser for saunas, steam baths and wherever else Tylö's aromatic essences may be needed. Silent, automatic operation. Installation distance: max. 2 metres between fragrance dispenser and nozzle. Up to four fragrance dispensers may be connected to a single control panel for varying the fragrance in one or more rooms. Size: 350 x 200 mm.

### CC Fresh (Art. 9090 8006)

Electronic control panel for easy, automatic operation of the Tylö Fresh dispenser. Supplied complete with transformer. May be installed at any distance from the fragrance dispenser. Size: 130 x 190 mm, depth 27 mm.

### Tylö Fresh Basic (Art. 9090 8007)

As Tylö Fresh above, but with transformer and simple on/off function for manual control of the fragrance intensity. May also be connected to lighting, etc.

For domestic saunas only.

### Hygiene Disinfectant

(Art. no. 9002 9100)  
For effective sauna room hygiene. 5-litre plastic container.



### Solvent (Art. no. 9090 3000)

Powder for descaling the water tank in Tylö Combi sauna heaters and Tylö steam generators. Totally odourless and harmless.

### Solvent 50 (Art. no. 9090 3007)

As above, in a pack of 50.

### Sulfamic solvent

(Art. no. 9090 3010)  
An extra strong descaling agent for professional use only in public facilities. Sold in a 5-kilo pack.

### Sauna oil (Art. no. 9002 2050)

For treating benches and other wooden surfaces inside the sauna. Makes cleaning easier. Protects wood with a special water-repellent film. 1-litre plastic bottle. (For approx. 6 square metres.)



**Loudspeaker A** (Art. 9080 2000)  
Steam and heat-resistant construction for installation recessed into the sauna room wall or under the lower sauna bench. 50 W output. Installation size: 120 mm diameter, depth 55 mm. Sold in pairs.

**Loudspeaker B** (Art. 9080 3000)  
As above, 50 W, but for surface mounting. Size: 177 x 114 mm, depth 125 mm. Sold in pairs.



**Sauna clock**  
(Art. 9011 1020)  
Electric 230 V.  
Size: 24 x 24 cm.

## Wooden headrests



**Adjustable headrest, alder**  
(Art. 9008 1012)  
Height adjustable to help you relax even better in the sauna.

**Adjustable headrest, aspen**  
(Art. 9008 1010)  
As above.



**Sauna headrest, alder** (Art. 9008 1016)  
Narrow strips of wood in a fixed, gently contoured shape.

**Sauna headrest, aspen** (Art. 9008 1014)  
Narrow strips of wood in a fixed, gently contoured shape.



**Headrest/Backrest Basic**  
(Art. no. 9015 2500)

## Textiles

**Bath-robe**  
Luxurious Jacquard weave in 100% cotton terry. The perfect garment to wrap up and relax in after bathing.

**Normal** (Art. 9016 1014)

**Large** (Art. 9016 1016)

**Bath slippers**  
Soft, comfy cotton.

**Lady's size** (Art. 9016 1010)

**Men's size** (Art. 9016 1011)

**Bath sheet** (Art. 9016 2008)  
70 x 150 cm.

**Towel** (Art. 9016 2009)  
40 x 60 cm.




## Water sprinkler



**Water sprinkler** (Art. 9034 1000)  
An innovative solution for sprinkling water over hot sauna stones. Connect to hot or cold water. Consists of a 7-metre twined hemp rope running through brass eye-bolts, a sprinkler head, a valve box with lever and a rope bolt, together with plumbing connections. Supplied in a gift package with an exclusive bronze plaque.


## Ventilation



**Ventilation grille A** (Art. 9017 1000)  
Fits over the outside of the air inlet/outlet. Size: 10 x 22 cm (installation size: 8 x 16 cm).

**Ventilation grille B** (Art. 9018 1020)  
In wood. 14 x 22 cm.

**Ventilation grille C** (Art. 9018 1009)  
For sauna rooms over 25 cu.m. in volume. Vent opening 300 sq.cm. Size: 24.5 x 25.5 cm.



**Vent hatch C** (Art. 9018 1003)  
For sauna rooms over 25 cu.m. in volume. Hatch opens 0–300 sq.cm. Size: 24.5 x 25.5 cm.

**Vent hatch B** (Art. 9018 1014)  
Fits over the air outlet inside the sauna to regulate air flow. Size: 14 x 37.5 cm.

